

Ringlock Scaffold System

Ringlock Standard									
OD: 48.3x3.2mm, Steel Grade:S355 (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized.									
Item No.	Description			Weight (kgs)		Packaging		Photo	
		Meters	Feet	Kgs	Lbs	Qty.	Type		
GSRV99	6 Ring Standard 3.0m w/ spigot	3.0	9'-9"	14.56	32.07	100	Rack		
GSRV82	5 Ring Standard 2.5m w/ spigot	2.5	8'-2"	12.26	27.00	100	Rack		
GSRV66	4 Ring Standard 2.0m w/ spigot	2.0	6'-6"	9.95	21.92	100	Rack		
GSRV411	3 Ring Standard 1.5m w/ spigot	1.5	4'-11"	7.65	16.85	100	Rack		
GSRV33	2 Ring Standard 1.0m w/ spigot	1.0	3'-3"	5.34	12.10	100	Rack		
GSRV18	1 Ring Standard 0.5m w/ spigot	0.5	1'-8"	3.04	6.70	200	Rack		
Ringlock Ledger O-Type									
OD: 48.3x3.2mm, Steel Grade:S355 (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized.									
Item No.	Description			Weight (kgs)		Packaging		Photo	
		Meters	Feet	Kgs	Lbs	Qty.	Type		
GSRL10	1'-0" Ledger 305mm	0.305	1'-0"	1.86	4.10	400	Basket		
GSRL20	2'-0" Ledger 610mm	0.61	2'-0"	2.94	6.48	300	Basket		
GSRL22	2'-2" Ledger 650mm	0.65	2'-2"	3.08	6.78	300	Basket		
GSRL25	2'-5" Ledger 732mm	0.732	2'-5"	3.37	7.42	300	Basket		
GSRL210	2'-10" Ledger 880mm	0.88	2'-10"	3.90	8.59	300	Rack		
GSRL30	3'-0" Ledger 914mm	0.914	3'-0"	4.02	8.85	300	Rack		
GSRL36	3'-6" Ledger 1065mm	1.065	3'-6"	4.56	10.04	150	Rack		
GSRL37	3'-7" Ledger 1090mm	1.09	3'-7"	4.65	10.24	150	Rack		
GSRL310	3'-10" Ledger 1150mm	1.15	3'-10"	4.86	10.70	150	Rack		
GSRL40	4'-0" Ledger 1220mm	1.22	4'-0"	5.11	11.26	150	Rack		
GSRL43	4'-3" Ledger 1286mm	1.286	4'-3"	5.34	11.76	150	Rack		
GSRL50	5'-0" Ledger 1524mm	1.524	5'-0"	6.19	13.63	150	Rack		
GSRL52	5'-2" Ledger 1572mm	1.572	5'-2"	6.36	14.01	150	Rack		
GSRL54	5'-4" Ledger 1625mm	1.625	5'-4"	6.55	14.43	150	Rack		
GSRL60	6'-0" Ledger 1829mm	1.829	6'-0"	7.27	16.01	150	Rack		
GSRL69	6'-9" Ledger 2072mm	2.072	6'-9"	8.13	17.91	150	Rack		
GSRL70	7'-0" Ledger 2130mm	2.13	7'-0"	8.34	18.37	150	Rack		
GSRL80	8'-0" Ledger 2440mm	2.44	8'-0"	9.44	20.79	150	Rack		
GSRL86	8'-6" Ledger 2572mm	2.572	8'-6"	9.91	21.83	150	Rack		
GSRL90	9'-0" Ledger 2743mm	2.743	9'-0"	10.52	23.17	150	Rack		
GSRL100	10'-0" Ledger 3050mm	3.05	10'-0"	11.61	25.57	150	Rack		
GSRL101	10'-1" Ledger 3072mm	3.072	10'-1"	11.76	25.90	150	Rack		
Ringlock Double Ledger O-Type									
OD: 48.3x3.2mm, Steel Grade:S355 (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized.									
Item No.	Description			Weight (kgs)		Packaging		Photo	
		Meters	Feet	Kgs	Lbs	Qty.	Type		
GSRDL50	5'-0" Truss Ledger 1524mm	1.52	5'-0"	9.47	20.86	50	Rack		
GSRDL52	5'-2" Truss Ledger 1572mm	1.572	5'-2"	9.74	21.45	50	Rack		
GSRDL60	6'-0" Truss Ledger 1829mm	1.828	6'-0"	11.56	25.46	50	Rack		
GSRDL69	6'-9" Truss Ledger 2072mm	2.072	6'-9"	12.56	27.67	50	Rack		
GSRDL70	7'-0" Truss Ledger 2130mm	2.13	7'-0"	13.62	30.00	50	Rack		
GSRDL80	8'-0" Truss Ledger 2440mm	2.44	8'-0"	15.36	33.83	50	Rack		
GSRDL86	8'-6" Truss Ledger 2572mm	2.572	8'-6"	16.47	36.28	50	Rack		
GSRDL90	9'-0" Truss Ledger 2743mm	2.74	9'-0"	17.43	38.39	50	Rack		
GSRDL100	10'-0" Truss Ledger 3050mm	3.05	10'-0"	19.53	43.02	50	Rack		
GSRDL101	10'-1" Truss Ledger 3072mm	3.072	10'-1"	19.68	43.35	50	Rack		

Ringlock Truss Ledger O-Type

OD: 48.3x3.2mm, Steel Grade:S355 (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRTL50	5'-0" Truss Ledger 1524mm	1.52	5'-0"	11.45	25.22	50	Rack	
GSRTL52	5'-2" Truss Ledger 1572mm	1.57	5'-2"	11.79	25.97	50	Rack	
GSRTL60	6'-0" Truss Ledger 1829mm	1.82	6'-0"	13.75	30.29	50	Rack	
GSRTL70	7'-0" Truss Ledger 2130mm	2.13	7'-0"	15.89	35.00	50	Rack	
GSRTL80	8'-0" Truss Ledger 2440mm	2.43	8'-0"	18.09	39.85	50	Rack	
GSRTL86	8'-6" Truss Ledger 2572mm	2.572	8'-6"	19.16	42.20	50	Rack	
GSRTL90	9'-0" Truss Ledger 2743mm	2.74	9'-0"	20.37	44.87	50	Rack	
GSRTL100	10'-0" Truss Ledger 3050mm	3.05	10'-0"	22.55	49.67	50	Rack	

Ringlock Bay Braces

OD: 48.3x2.5mm, Steel Grade:S235, Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRBB20	2'-0" Bay Brace 609mm	0.60	2'-0"	7.78	17.14	150	Rack	
GSRBB22	2'-2" Bay Brace 650mm	0.65	2'-2"	7.81	17.20	150	Rack	
GSRBB25	2'-5" Bay Brace 732mm	0.732	2'-5"	7.87	17.33	150	Rack	
GSRBB210	2'-10" Bay Brace 880mm	0.88	2'-10"	8	17.62	150	Rack	
GSRBB30	3'-0" Bay Brace 914mm	0.914	3'-0"	8.04	17.71	150	Rack	
GSRBB36	3'-6" Bay Brace 1065mm	1.065	3'-6"	8.21	18.08	150	Rack	
GSRBB37	3'-7" Bay Brace 1090mm	1.09	3'-7"	8.24	18.15	150	Rack	
GSRBB310	3'-10" Bay Brace 1150mm	1.15	3'-10"	8.31	18.30	150	Rack	
GSRBB40	4'-0" Bay Brace 1220mm	1.22	4'-0"	8.4	18.50	150	Rack	
GSRBB50	5'-0" Bay Brace 1524mm	1.524	5'-0"	8.86	19.52	150	Rack	
GSRBB52	5'-2" Bay Brace 1572mm	1.572	5'-2"	8.94	19.69	150	Rack	
GSRBB54	5'-4" Bay Brace 1625mm	1.625	5'-4"	9.03	19.89	150	Rack	
GSRBB60	6'-0" Bay Brace 1829mm	1.829	6'-0"	9.39	20.68	150	Rack	
GSRBB69	6'-9" Bay Brace 2072mm	2.072	6'-9"	9.86	21.72	150	Rack	
GSRBB70	7'-0" Bay Brace 2130mm	2.13	7'-0"	9.98	21.98	150	Rack	
GSRBB80	8'-0" Bay Brace 2440mm	2.44	8'-0"	10.63	23.41	150	Rack	
GSRBB86	8'-6" Bay Brace 2572mm	2.572	8'-6"	10.92	24.05	150	Rack	
GSRBB90	9'-0" Bay Brace 2743mm	2.743	9'-10"	11.3	24.89	150	Rack	
GSRBB10	10'-0" Bay Brace 3050mm	3.05	10'-0"	12.02	26.48	150	Rack	
GSRBB101	10'-1" Bay Brace 3072mm	3.072	10'-1"	12.07	26.59	150	Rack	

Ringlock Side Brackets

OD: 48.3x3.2mm, Steel Grade: S235. Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRB1	1'-0" Side Bracket	0.31	1'-0"	1.83	4.03	110	Rack	
GSRB22	2'-2" Side Bracket	0.65	2'-2"	5.95	13.11	50	Rack	
GSRB25	2'-5" Side Bracket	0.732	2'-5"	6.39	14.07	50	Rack	
GSRB210	2'-10" Side Bracket	0.88	2'-10"	7.33	16.15	50	Rack	
GSRB3	3'-0" Side Bracket	0.914	3'-0"	7.5	16.52	50	Rack	
GSRB36	3'-6" Side Bracket	1.065	3'-6"	11.23	24.74	25	Rack	
GSRB37	3'-7" Side Bracket	1.09	3'-7"	12.08	26.61	25	Rack	


Ringlock Lattice Girder

OD: 48.3x3.2mm, Steel Grade: S235. Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRLG10	10' Lattice Girder	3.05	10'-0"	32.30	71.15	20	Bundle	
GSRLG14	14' Lattice Girder	4.26	14'-0"	42.90	94.49	20	Bundle	
GSRLG16	16' Lattice Girder	4.88	16'-0"	49.20	108.37	20	Bundle	
GSRLG17	17' Lattice Girder	5.18	17'-0"	51.40	113.22	20	Bundle	
GSRLG21	21' Lattice Girder	6.40	21'-0"	63.90	140.75	20	Bundle	
GSRLG24	24' Lattice Girder	7.32	24'-0"	74.00	163.00	20	Bundle	
GSRLG28	28' Lattice Girder	8.53	28'-0"	84.90	187.00	20	Bundle	


Low Profile Steel Plank

Width:9.5" (240mm), Height:70mm, Thickness:1.8mm. S355 Steel sheet (ASTM A572 Gr. 50, USA), Surface treatment: Pre-galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRLP20	2' Low Profile Steel Plank	0.61	2'-0"	4.94	10.79	120	Rack	
GSRLP22	2'-2" Low Profile Steel Plank	0.65	2'-2"	5.15	11.34	120	Rack	
GSRLP210	2'-10" Low Profile Steel Plank	0.88	2'-9"	6.37	14.03	120	Rack	
GSRLP30	3' Low Profile Steel Plank	0.914	3'-0"	6.55	14.43	120	Rack	
GSRLP36	3'-6" Low Profile Steel Plank	1.065	3'-6"	7.35	16.19	60	Rack	
GSRLP310	3'-10" Low Profile Steel Plank	1.15	3'-10"	7.80	17.18	60	Rack	
GSRLP40	4'-0" Low Profile Steel Plank	1.22	4'-0"	8.17	18.00	60	Rack	
GSRLP50	5' Low Profile Steel Plank	1.524	5'-0"	9.78	21.54	60	Rack	
GSRLP52	5'-2" Low Profile Steel Plank	1.572	5'-2"	10.04	22.11	60	Rack	
GSRLP60	6' Low Profile Steel Plank	1.829	6'-0"	11.40	25.11	60	Rack	
GSRLP70	7' Low Profile Steel Plank	2.13	7'-0"	13.00	28.63	60	Rack	
GSRLP80	8' Low Profile Steel Plank	2.44	8'-0"	14.63	32.22	60	Rack	
GSRLP86	8'-6" Low Profile Steel Plank	2.572	8'-6"	15.33	33.77	60	Rack	
GSRLP100	10' Low Profile Steel Plank	3.05	10'-0"	17.87	39.36	60	Rack	

High Hook Steel Plank

Width:9" (228mm), Height:2.5" (63.5mm), Thickness:1.8mm. S235 Steel sheet, Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSSP20	2'-0" High Hook Steel Plank	0.60	2'-0"	4.69	10.33	128	Rack	
GSSP27	2'-7" High Hook Steel Plank	0.788	2'-7"	5.71	12.58	64	Rack	
GSSP210	2'-10" High Hook Steel Plank	0.88	2'-10"	6.23	13.72	64	Rack	
GSSP30	3'-0" High Hook Steel Plank	0.914	3'-0"	6.43	14.16	64	Rack	
GSSP36	3'-6" High Hook Steel Plank	1.065	3'-6"	7.29	16.06	64	Rack	
GSSP4	4'-0" High Hook Steel Plank	1.22	4'-0"	8.17	18.00	64	Rack	
GSSP50	5'-0" High Hook Steel Plank	1.524	5'-0"	9.90	21.81	64	Rack	
GSSP52	5'-2" High Hook Steel Plank	1.572	5'-2"	10.17	22.40	64	Rack	
GSSP60	6'-0" High Hook Steel Plank	1.829	6'-0"	11.64	25.64	64	Rack	
GSSP70	7'-0" High Hook Steel Plank	2.13	7'-0"	13.36	29.43	64	Rack	
GSSP80	8'-0" High Hook Steel Plank	2.44	8'-0"	15.13	33.33	64	Rack	
GSSP82	8'-2" High Hook Steel Plank	2.5	8'-2"	15.47	34.07	64	Rack	
GSSP9	9'-0" High Hook Steel Plank	2.743	9'-0"	16.85	37.11	64	Rack	
GSSP100	10'-0" High Hook Steel Plank	3.05	10'-0"	18.61	40.99	64	Rack	

320mm Width Steel Plank

Width:12.5" (320mm), Height:76mm, Thickness:1.5mm. S355 Steel sheet (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized or Pre-galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSWSP25	2'-5" Steel Plank 732mm	0.732	2'-5"	6.82	15.02	180	Rack	
GSWSP37	3'-7" Steel Plank 1090mm	1.09	3'-7"	9.43	20.77	90	Rack	
GSWSP47	4'-7" Steel Plank 1400mm	1.40	4'-7"	11.46	25.24	90	Rack	
GSWSP52	5'-2" Steel Plank 1572mm	1.572	5'-2"	12.58	27.71	90	Rack	
GSWSP69	6'-9" Steel Plank 2072mm	2.072	6'-9"	16.10	35.46	90	Rack	
GSWSP86	8'-6" Steel Plank 2572mm	2.572	8'-6"	19.63	43.24	90	Rack	
GSWSP101	10'-1" Steel Plank 3072mm	3.072	10'-1"	22.92	50.48	90	Rack	

192mm Width Steel Plank

Width:7.5" (192mm), Height:76mm, Thickness:1.5mm. S355 Steel sheet (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized or Pre-galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSNSP25	2'-5" Steel Plank 732mm	0.732	2'-5"	4.95	10.90	180	Rack	
GSNSP37	3'-7" Steel Plank 1090mm	1.09	3'-7"	6.75	14.87	90	Rack	
GSNSP47	4'-7" Steel Plank 1400mm	1.40	4'-7"	8.31	18.30	90	Rack	
GSNSP52	5'-2" Steel Plank 1572mm	1.572	5'-2"	9.17	20.20	90	Rack	
GSNSP69	6'-9" Steel Plank 2072mm	2.072	6'-9"	11.68	25.73	90	Rack	
GSNSP86	8'-6" Steel Plank 2572mm	2.572	8'-6"	14.19	31.26	90	Rack	
GSNSP101	10'-1" Steel Plank 3072mm	3.072	10'-1"	16.70	36.78	90	Rack	

Ringlock Spigot Clamp

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSSC	Spigot Clamp			1.72	3.79	650	Basket	

Crazy Leg / Guardrail Post

OD: 48.3x3.2mm, Steel Grade:S355 (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRL	1.7M Guardrail Post	1.7	5'-6"	8.44	18.59	70	Rack	

Swing Gate

The Swing Gate allows safe access to the working platform. Steel Grade: S235, Surface treatment: Electroplated or Powder Coated

Item No.	Description	Min Extension		Max Extension		Packaging		Photo
		Meters	Inches	Meters	Inches	Qty.	Type	
GSSG	3' ~5' Swing Gate	0.61	36	1.52	60.00	36	Rack	

Adjustable Base Jack

OD: 38.1x4.5mm. Base plate: 150x150x6mm. Surface treatment: Hot dip galvanized or Electroplated

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSBJ24	24" Adjustable Base Jack	0.6	2'	3.48	7.67	220	Rack	

Swivel Base Jack

OD: 38.1x4.5mm. Base plate: 150x150x6mm. Surface treatment: Hot dip galvanized or Electroplated

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSSBJ24	24" Swivel Base Jack	0.6	2'	4.27	9.41	220	Rack	

Caster Adapter

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRCA	Caster Adapter	0.315	9.75"	3.7	8.15	144	Rack	

12" Caster Wheel

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSC12	12" Caster Wheel	0.3	12"	19	41.85	100	Rack	

Starter/ Base Collar

OD: 48.3x3.2mm, Steel Grade:S355 (ASTM A572 Gr. 50, USA), Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRBC	Starter/Base Collar	0.31	1'	1.74	3.83	385	Rack	

Stair Stringer

Steel Grade:S235, Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRSS7	7' Stair Stringer	2.13	7'	15.5	34.14	110	Rack	

Stair Tread

Steel Grade:S235, Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSRST32	32" Stair Tread, 305mm Steel Board	0.857	32"	8.5	18.72	69	Rack	

Interlocking Toeboard

Steel Grade:S235, Surface treatment: Pre-galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSTB22	2'-2" Interlocking Toeboard	0.65	2'-2"	2.12	4.67	400	Rack	
GSTB210	2'-10" Interlocking Toeboard	0.88	2'-10"	2.77	6.10	400	Rack	
GSTB30	3'-0" Interlocking Toeboard	0.91	3'-0"	2.86	6.30	400	Rack	
GSTB36	3'-6" Interlocking Toeboard	1.065	3'-6"	3.29	7.25	200	Rack	
GSTB310	3'-10" Interlocking Toeboard	1.15	3'-10"	3.52	7.75	200	Rack	
GSTB50	5'-0" Interlocking Toeboard	1.52	5'-0"	4.57	10.07	200	Rack	
GSTB52	5'-2" Interlocking Toeboard	1.57	5'-2"	4.71	10.37	200	Rack	
GSTB60	6'-0" Interlocking Toeboard	1.82	6'-0"	5.43	11.96	200	Rack	
GSTB70	7'-0" Interlocking Toeboard	2.13	7'-0"	6.27	13.81	200	Rack	
GSTB80	8'-0" Interlocking Toeboard	2.43	8'-0"	7.14	15.73	200	Rack	
GSTB10	10'-0" Interlocking Toeboard	3.05	10'-0"	8.84	19.47	200	Rack	

Non-Slip Steel Ladder

Width:13-2/3"(347mm), Steel Grade:S235, Surface treatment: Hot dip galvanized.

Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSSL3	3' Non-Slip Steel Ladder	0.91	3'	6.81	15.00	25	Bundle	
GSSL5	5' Non-Slip Steel Ladder	1.52	5'	9.74	21.45	25	Bundle	
GSSL10	10' Non-Slip Steel Ladder	3.05	10'	18.54	40.84	25	Bundle	

Ladder Bracket								
Width:13-2/3"(347mm), Steel Grade:S235, Surface treatment: Hot dip galvanized.								
Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSLB	Ladder Bracket	0.347	13-2/3"	3.7	8.15	170	Basket	
TubeLock / Interlock Tubes								
OD: 48.3x2.5mm, Steel Grade: S235. Surface treatment: Hot dip galvanized.								
Item No.	Description			Weight (kgs)		Packaging		Photo
		Meters	Feet	Kgs	Lbs	Qty.	Type	
GSIT4	4' Interlock Tubes	1.22	4'-0"	5.71	12.58	150	Rack	
GSIT6	6' Interlock Tubes	1.83	6'-0"	7.37	16.23	150	Rack	
GSIT8	8' Interlock Tubes	2.44	8'-0"	9.03	19.89	150	Rack	
GSIT10	10' Interlock Tubes	3.05	10'-0"	10.69	23.55	150	Rack	
GSIT13	13' Interlock Tubes	3.96	13'-0"	13.17	29.01	150	Rack	
Right Angle Wedge Head Coupler								
Item No.	Description			Weight (kgs)		Packaging		Photo
				Kgs	Lbs	Qty.	Type	
GSRRAW	Right Angle Wedge Head Coupler			1.59	3.50	650	Basket	
Swivel Wedge Head Coupler								
Item No.	Description			Weight (kgs)		Packaging		Photo
				Kgs	Lbs	Qty.	Type	
GSRSW	Swivel Wedge Head Coupler			1.61	3.55	650	Basket	
Double Wedge Head Coupler								
Item No.	Description			Weight (kgs)		Packaging		Photo
				Kgs	Lbs	Qty.	Type	
GSRDW	Double Wedge Head Coupler			1.32	2.91	650	Basket	
Rosette Clamp								
Item No.	Description			Weight (kgs)		Packaging		Photo
				Kgs	Lbs	Qty.	Type	
GSRC	Rosette Clamp			1.2	2.64	750	Basket	
Beam Clamp								
Item No.	Description			Weight (kgs)		Packaging		Photo
				Kgs	Lbs	Qty.	Type	
GSBC	Beam Clamp			1.45	3.19	700	Basket	
Swivel Beam Clamp								
Item No.	Description			Weight (kgs)		Packaging		Photo
				Kgs	Lbs	Qty.	Type	
GSSBC	Swivel Beam Clamp			1.80	3.96	700	Basket	

Right Angle Clamp						
Item No.	Description	Weight (kgs)		Packaging		Photo
		Kgs	Lbs	Qty.	Type	
GSRAC	Right Angle Clamp	1.50	3.30	700	Basket	
Swivel Clamp						
Item No.	Description	Weight (kgs)		Packaging		Photo
		Kgs	Lbs	Qty.	Type	
GSSWC	Swivel Clamp	1.80	3.96	700	Basket	
Scaffold Rack						
Item No.	Description	Weight (kgs)		Packaging		Photo
		Kgs	Lbs	Qty.	Type	
GSSR	Scaffold Rack 42"x42"x34.25" (1060x1060x870mm)	46	101.32	1	Rack	
Scaffold Basket Rack						
Item No.	Description	Weight (kgs)		Packaging		Photo
		Kgs	Lbs	Qty.	Type	
GSBR	Scaffold Basket Rack 42"x42"x34.25" (1060x1060x870mm)	60	132.16	1	Rack	