

Frames System


Snap On Walk Thru Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO25WT	2' x 5' Snap On Walk Thru Frame	11.95	26.32	
GSSO268WT	2' x 6'8" Snap On Walk Thru Frame	14.05	30.95	
GSSO34WT	3' x 4' Snap On Walk Thru Frame	10.83	23.85	
GSSO35WT	3' x 5' Snap On Walk Thru Frame	13.45	29.63	
GSSO368WT	3' x 6'8" Snap On Walk Thru Frame	15.60	34.36	
GSSO568WT	5' x 6'8" Snap On Walk Thru Frame	19.30	42.51	



Snap On Walk Thru Frame w/ Ladder

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO25WTF	2' x 5' Snap On Walk Thru Frame w/ 18" Ladder	18.00	39.65	
GSSO268WTF	2' x 6'8" Snap On Walk Thru Frame w/ 18" Ladder	21.05	46.37	
GSSO34WTF	3' x 4' Snap On Walk Thru Frame w/ 18" Ladder	15.90	35.02	
GSSO35WTF	3' x 5' Snap On Walk Thru Frame w/ 18" Ladder	19.50	42.95	
GSSO368WTF	3' x 6'8" Snap On Walk Thru Frame w/ 18" Ladder	23.60	51.98	
GSSO568WTF	5' x 6'8" Snap On Walk Thru Frame w/ 18" Ladder	28.10	61.89	

Snap On Apartment Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO288AF	2' x 8'8" Snap On Apartment Frame	18.60	40.97	 
GSSO2108AF	2' x 10'8" Snap On Apartment Frame	22.70	50.00	
GSSO388AF	3' x 8'8" Snap On Apartment Frame	20.66	45.51	
GSSO3108AF	3' x 10'8" Snap On Apartment Frame	24.38	53.70	
GSSO388AFL	3' x 8'8" Snap On Apartment Frame w/ 18" Ladder	30.65	67.51	
GSSO3108AFL	3' x 10'8" Snap On Apartment Frame w/ 18" Ladder	35.00	77.09	

Snap On Box Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO320B	3' x 20" Snap On Box Frame	7.10	15.64	
GSSO340B	3' x 40" Snap On Box Frame	9.20	20.26	
GSSO54SB	5' x 4' Snap On Single Box Frame	14.90	32.82	
GSSO55SB	5' x 5' Snap On Single Box Frame	16.70	36.78	
GSSO568SB	5' x 6'8" Snap On Single Box Frame	20.70	45.59	
GSSO54DB	5' x 4' Snap On Double Box Frame	15.75	34.69	
GSSO55DB	5' x 5' Snap On Double Box Frame	19.25	42.40	
GSSO568DB	5' x 6'8" Snap On Double Box Frame	23.80	52.42	


Snap On Ladder Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO25LF	2' x 5' Snap On Ladder Frame	12.50	27.53	
GSSO268LF	2' x 6'8" Snap On Ladder Frame	14.30	31.50	
GSSO34LF	3' x 4' Snap On Ladder Frame	12.30	27.09	
GSSO35LF	3' x 5' Snap On Ladder Frame	13.50	29.74	
GSSO368LF	3' x 6'8" Snap On Ladder Frame	15.80	34.80	

Snap On Canopy Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO576CF	5' x 7'6" Snap On Canopy Frame	25.00	55.07	
GSSO676CF	6' x 7'6" Snap On Canopy Frame	27.70	61.01	


Flip Lock Walk Thru Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSFL367WT	3' x 6'7" Walk Thru Frame-Flip Lock	17.70	38.99	
GSFL4264WT	42" x 6'4" Walk Thru Frame-Flip Lock	18.05	39.76	
GSFL567WT	5' x 6'7" Walk Thru Frame-Flip Lock	22.00	48.46	

Flip Lock Box Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSFL341SB	3' x 4'1" Single Box Frame-Flip Lock	9.50	20.93	
GSFL531SB	5' x 3'1" Single Box Frame-Flip Lock	13.00	28.63	
GSFL541SB	5' x 4'1" Single Box Frame-Flip Lock	15.00	33.04	
GSFL551SB	5' x 5'1" Single Box Frame-Flip Lock	17.20	37.89	
GSFL567SB	5' x 6'7" Single Box Frame-Flip Lock	19.40	42.73	
GSFL541DB	5' x 4'1" Double Box Frame-Flip Lock	15.80	34.80	
GSFL551DB	5' x 5'1" Double Box Frame-Flip Lock	18.70	41.19	
GSFL567DB	5' x 6'7" Double Box Frame-Flip Lock	23.00	50.66	


Flip Lock Ladder Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSFL33LF	3' x 3' Ladder Frame-Flip Lock	10.20	22.47	
GSFL34LF	3' x 4' Ladder Frame-Flip Lock	11.55	25.44	
GSFL423LF	42" x 3' Ladder Frame-Flip Lock	11.20	24.67	
GSFL424LF	42" x 4' Ladder Frame-Flip Lock	12.55	27.64	
GSFL425LF	42" x 5' Ladder Frame-Flip Lock	16.21	35.70	
GSFL4264LF	42" x 6'4" Ladder Frame-Flip Lock	18.50	40.75	

Drop Lock Walk Thru Frame

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSDL35WT	3' x 5' Walk Thru Frame-Drop Lock	15.30	33.70	
GSDL364WT	3' x 6'4" Walk Thru Frame-Drop Lock	18.10	39.87	
GSDL425WT	42" x 5' Walk Thru Frame-Drop Lock	15.90	35.02	
GS4264WT	42" x 6'4" Walk Thru Frame-Drop Lock	18.50	40.75	
GSDL564WT	5' x 6'4" Walk Thru Frame-Drop Lock	20.45	45.04	

Drop Lock Mason Frame

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSDL52MF	5' x 2' Mason Frame-Drop Lock	10.70	23.57	
GSDL53MF	5' x 3' Mason Frame-Drop Lock	12.30	27.09	
GSDL54MF	5' x 4' Mason Frame-Drop Lock	15.00	33.04	
GSDL55MF	5' x 5' Mason Frame-Drop Lock	16.67	36.72	
GSDL564MF	5' x 6'4" Mason Frame-Drop Lock	19.90	43.83	

Drop Lock Ladder Frame

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSDL25LF	2' x 5' Ladder Frame-Drop Lock	10.70	23.57	
GSDL264LF	2' x 6'4" Ladder Frame-Drop Lock	13.50	29.74	
GSDL35LF	3' x 5' Ladder Frame-Drop Lock	12.40	27.31	
GSDL364LF	3' x 6'4" Ladder Frame-Drop Lock	15.60	34.36	


Slide Lock Walk Thru Frame (V Lock is also available)

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSVL364WT	3' x 6'4" Walk Thru Frame-V Lock	19.50	42.95	
GSVL4264WT	42" x 6'4" Walk Thru Frame-V Lock	20.50	45.15	
GSVL564WT	5' x 6'4" Walk Thru Frame-V Lock	21.50	47.36	
GSSL364WT	3' x 6'4" Walk Thru Frame-Slide Lock	19.90	43.83	
GSSL4264WT	42" x 6'4" Walk Thru Frame-Slide Lock	20.90	46.04	
GSSL564WT	5' x 6'4" Walk Thru Frame-Slide Lock	21.90	48.24	


Slide Lock Mason Frame (V Lock is also available)

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSVL52MF	5' x 2' Mason Frame-V Lock	11.50	25.33	
GSVL53MF	5' x 3' Mason Frame-V Lock	13.20	29.07	
GSVL54MF	5' x 4' Mason Frame-V Lock	15.80	34.80	
GSVL55MF	5' x 5' Mason Frame-V Lock	18.40	40.53	
GSVL564MF	5' x 6'4" Mason Frame-V Lock	21.00	46.26	
GSSL52MF	5' x 2' Mason Frame-Slide Lock	11.90	26.21	
GSSL53MF	5' x 3' Mason Frame-Slide Lock	13.60	29.96	
GSSL54MF	5' x 4' Mason Frame-Slide Lock	16.20	35.68	
GSSL55MF	5' x 5' Mason Frame-Slide Lock	18.80	41.41	
GSSL564MF	5' x 6'4" Mason Frame-Slide Lock	21.40	47.14	


Slide Lock Ladder Frame (V Lock is also available)

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSVL23LF	2' x 3' Ladder Frame-V Lock	9.23	20.33	
GSVL25LF	2' x 5' Ladder Frame-V Lock	13.24	29.16	
GSVL264LF	2' x 6'4" Ladder Frame-V Lock	16.33	35.97	
GSSL23LF	2' x 3' Ladder Frame-Slide Lock	9.63	21.21	
GSSL25LF	2' x 5' Ladder Frame-Slide Lock	13.65	30.07	
GSSL264LF	2' x 6'4" Ladder Frame-Slide Lock	16.73	36.85	


Candy Lock (Fast Lock) Walk Thru Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSCL364WT	3' x 6'4" Walk Thru Frame-Candy Lock	18.10	39.87	
GSCL4264WT	42" x 6'4" Walk Thru Frame-Candy Lock	18.70	41.19	
GSCL564WT	5' x 6'4" Walk Thru Frame-Candy Lock	20.20	44.49	


Candy Lock (Fast Lock) Mason Frame

OD: 1.625" x 0.091", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSCL52MF	5' x 2' Mason Frame-Candy Lock	10.40	22.91	
GSCL53MF	5' x 3' Mason Frame-Candy Lock	11.95	26.32	
GSCL54MF	5' x 4' Mason Frame-Candy Lock	14.40	31.72	
GSCL55MF	5' x 5' Mason Frame-Candy Lock	16.80	37.00	
GSCL564MF	5' x 6'4" Mason Frame-Candy Lock	19.90	43.83	


Canadian Lock Walk Thru Frame

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSCL366WT	3' x 6'6" Walk Thru Frame-Canadian Lock	19.30	42.51	
GSCL4566WT	45" x 6'6" Walk Thru Frame-Canadian Lock	19.80	43.61	
GSCL566WT	5' x 6'6" Walk Thru Frame-Canadian Lock	20.50	45.15	

Canadian Lock Mason Frame

OD: 1.69" x 0.095", Steel Grade: S355 (ASTM A572 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSCL55MF	5' x 5' Mason Frame-Canadian Lock	19.50	42.95	
GSCL566MF	5' x 6'6" Mason Frame-Canadian Lock	21.50	47.36	


Snap On Cross Brace

OD: 1" x 0.071", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Pre-galvanized

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO532CB	5' x 32" Snap On Cross Brace	4.45	9.80	
GSSO548CB	5' x 48" Snap On Cross Brace	4.95	10.90	
GSSO732CB	7' x 32" Snap On Cross Brace	5.65	12.44	
GSSO748CB	7' x 48" Snap On Cross Brace	6.00	13.22	
GSSO1032CB	10' x 32" Snap On Cross Brace	7.50	16.52	
GSSO1048CB	10' x 48" Snap On Cross Brace	7.90	17.40	

Snap On Guard Rail

OD: 1.26" x 0.079", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Pre-galvanized

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSO3GR	3' Snap On Guard Rail	1.70	3.74	
GSSO5GR	5' Snap On Guard Rail	2.50	5.51	
GSSO7GR	7' Snap On Guard Rail	3.30	7.27	
GSSO10GR	10' Snap On Guard Rail	5.00	11.01	
GSSO3EB	3' End Bar	1.20	2.64	
GSSO3LH	3' Ledger Hook with blade	1.90	4.19	

Punch Hole Cross Brace

OD: 1" x 0.071", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Pre-galvanized

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSPH424CB	4' x 2' Punch Hole Cross Brace	3.00	6.61	
GSPH436CB	4' x 3' Punch Hole Cross Brace	3.33	7.33	
GSPH448CB	4' x 4' Punch Hole Cross Brace	3.75	8.26	
GSPH524CB	5' x 2' Punch Hole Cross Brace	3.58	7.89	
GSPH542CB	5' x 42" Punch Hole Cross Brace	4.04	8.90	
GSPH548CB	5' x 4' Punch Hole Cross Brace	4.23	9.32	
GSPH624CB	6' x 2' Punch Hole Cross Brace	4.18	9.21	
GSPH648CB	6' x 4' Punch Hole Cross Brace	4.75	10.46	
GSPH724CB	7' x 2' Punch Hole Cross Brace	4.79	10.55	
GSPH736CB	7' x 3' Punch Hole Cross Brace	5.00	11.01	
GSPH742CB	7' x 42" Punch Hole Cross Brace	5.14	11.32	
GSPH748CB	7' x 4' Punch Hole Cross Brace	5.30	11.67	
GSPH824CB	8' x 2' Punch Hole Cross Brace	5.41	11.92	
GSPH836CB	8' x 3' Punch Hole Cross Brace	5.60	12.33	
GSPH848CB	8' x 4' Punch Hole Cross Brace	5.85	12.89	
GSPH1024CB	10' x 2' Punch Hole Cross Brace	6.65	14.65	
GSPH1042CB	10' x 42" Punch Hole Cross Brace	6.91	15.22	
GSPH1048CB	10' x 4' Punch Hole Cross Brace	7.03	15.48	
GSDPH443CB	4' x 4' x 3' Double Punch Hole Cross Brace	3.76	8.28	
GSDPH543CB	5' x 4' x 3' Double Punch Hole Cross Brace	4.23	9.32	
GSDPH643CB	6' x 4' x 3' Double Punch Hole Cross Brace	4.75	10.46	
GSDPH743CB	7' x 4' x 3' Double Punch Hole Cross Brace	5.30	11.67	
GSDPH843CB	8' x 4' x 3' Double Punch Hole Cross Brace	5.85	12.89	
GSDPH1043CB	10' x 4' x 3' Double Punch Hole Cross Brace	7.03	15.48	

Punch Hole Guard Rail

OD: 1.26" x 0.079" or 1"x0.071", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Pre-galvanized

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSPH3GR	3' Punched Hole Guard Rail	1.30	2.86	
GSPH42GR	42" Punched Hole Guard Rail	1.55	3.41	
GSPH4GR	4' Punched Hole Guard Rail	1.80	3.96	
GSPH5GR	5' Punched Hole Guard Rail	2.20	4.85	
GSPH6GR	6' Punched Hole Guard Rail	2.60	5.73	
GSPH7GR	7' Punched Hole Guard Rail	3.00	6.61	
GSPH8GR	8' Punched Hole Guard Rail	3.40	7.49	
GSPH10GR	10' Punched Hole Guard Rail	4.70	10.35	

Goosers

OD: 1.625"x0.091", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Powder Coated or Pre-galvanized

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSG3	3' Gooser	3.70	8.15	
GSG5	5' Gooser	4.80	10.57	
GSG6	6' Gooser	5.70	12.56	
GSG7	7' Gooser	6.20	13.66	
GSG8	8' Gooser	7.00	15.42	
GSG10	10' Gooser	8.30	18.28	

Guard Rail Post

OD: 1.625" x 0.091", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSOGRP	Guard Rail Post-Snap On Lock	3.30	7.27	
GSFLGRPF	Guard Rail Post-Female-Flip Lock	2.70	5.95	
GSFLGRPM	Guard Rail Post-Male-Flip Lock	3.00	6.61	
GSFLGRPK	Guard Rail Post with kicker-Flip Lock	3.20	7.05	
GSCLGRP	Guard Rail Post-Candy Lock	3.70	8.15	

Folding A Frame and Mortar Board Stand

OD: 1" x 0.071", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Pre-galvanized

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSFAF2	2' Folding A Frame (Trestle)	6.90	15.20	
GSFAF3	3' Folding A Frame (Trestle)	9.00	19.82	
GSFAF4	4' Folding A Frame (Trestle)	11.20	24.67	
GSFAF5	5' Folding A Frame (Trestle)	16.20	35.68	
GSFAF6	6' Folding A Frame (Trestle)	18.00	39.65	
GSMB2030	20" x 30" Mortar Board Stand	7.00	15.42	

Decks/Planks

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSAAD5	5' x 19" All Aluminum Deck	11.00	24.23	
GSAAD7	7' x 19" All Aluminum Deck	13.00	28.63	
GSAAD8	8' x 19" All Aluminum Deck	15.00	33.04	
GSAAD10	10' x 19" All Aluminum Deck	18.00	39.65	
GSAPD5	5' x 19" Aluminum Plywood Deck	13.00	28.63	
GSAPD7	7' x 19" Aluminum Plywood Deck	16.90	37.22	
GSAPD8	8' x 19" Aluminum Plywood Deck	18.60	40.97	
GSAPD10	10' x 19" Aluminum Plywood Deck	23.30	51.32	
GSAPD7L	7' x 28" Aluminum Plywood Hatch Deck w/ ladder	33.60	74.01	
GSAPD10L	10' x 28" Aluminum Plywood Hatch Deck w/ ladder	41.20	90.75	
GSAAD7L	7' x 28" All Aluminum Hatch Deck w/ ladder	39.50	87.00	
GSAAD10L	10' x 28" All Aluminum Hatch Deck w/ ladder	47.90	105.51	

Screw Jack and Base Plate

OD: 1.38", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Electroplated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSJ24	24" Socket Jack	5.00	11.01	
GSSJB24	24" Screw Jack w/ Base Plate	5.60	12.33	
GSSSJ24	24" Swivel Screw Jack	6.50	14.32	
GSEBP24	24" Extension Base Plate	1.80	3.96	
GSBP55	5" x 5" Base Plate	1.00	2.20	

Stair with handrails

Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSR764	7' x 6'4" Stair with handrails	52.00	114.54	
GSSR768	7' x 6'8" Stair with handrails	54.00	118.94	
GSSR864	8' x 6'4" Stair with handrails	54.00	118.94	

Coupling Pins

Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Electroplated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSCP1	1" Collar Coupling Pins	0.45	0.99	
GSCP2	1/8" Collar Coupling Pins	0.36	0.79	
GSCP3	No Collar Coupling Pins	0.30	0.66	

Lock Pins

Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Electroplated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSTP	Toggle Pin	0.07	0.15	
GSSP	Snap Pin	0.06	0.13	
GSSR	Spring Retainer	0.01	0.02	
GSGLP	Gravity Lock Pin	0.10	0.22	

Access Ladder and Ladder Bracket

OD: 1" x 0.078", Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSAL3	3' x 15" Access Ladder	4.20	9.25	
GSAL5	5' x 15" Access Ladder	6.00	13.22	
GSAL6	6' x 15" Access Ladder	7.50	16.52	
GSLB	Access Ladder Bracket	2.50	5.51	

Swing Gate

Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Electroplated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSSG	3' ~ 5' Swing Gate	13.10	28.85	


Hoist Arm and Caster Wheel

Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Electroplated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSWW12	12" Well Wheel	3.60	7.93	
GSHAW	Hoist Arm for Wheel	15.10	33.26	
GSCW8	8" Caster	5.30	11.67	

Side Bracket

Steel Grade: S235 (ASTM A36 Gr. 50, USA), Surface treatment: Powder Coated

Item No.	Description	Weight (kgs)	Weight (lbs)	Photo
GSOR	30" Outriggers	9.00	19.82	
GSSHSB20	20" Saddle Hanger Side Bracket	5.00	11.01	
GSSHSB30	30" Saddle Hanger Side Bracket	6.50	14.32	
GSAISB12	12" Angle Iron Side Bracket	3.14	6.92	
GSAISB20	20" Angle Iron Side Bracket	4.50	9.91	
GSAISB30	30" Angle Iron Side Bracket	6.00	13.22	